

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/652,844	52,844 08/29/2003		Joseph L. Mitchell	905-282 (185840) (IR3710)	2815
23122	7590	02/17/2006		EXAMINER	
RATNERF P O BOX 98				KOCH, GI	EORGE R
VALLEY FORGE, PA 19482-0980				ART UNIT	PAPER NUMBER
	,			1734	

DATE MAILED: 02/17/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/652,844	MITCHELL, JOSE	PH L.
Office Action Summary	Examiner	Art Unit	
	George R. Koch III	1734	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	correspondence ad	ldress
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tire will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this c D (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on  2a) ☐ This action is FINAL. 2b) ☒ This  3) ☐ Since this application is in condition for allower closed in accordance with the practice under E	action is non-final.		e merits is
Disposition of Claims			
4) Claim(s) 1-22 is/are pending in the application.  4a) Of the above claim(s) 19-22 is/are withdraw  5) Claim(s) is/are allowed.  6) Claim(s) 1-18 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or  Application Papers  9) The specification is objected to by the Examiner  10) The drawing(s) filed on is/are: a) acceed to the description of the	rn from consideration.  r election requirement.  r.  epted or b) objected to by the lidrawing(s) be held in abeyance. Secon is required if the drawing(s) is objected to by the lidrawing(s) is objected to by the lidrawing(s).	e 37 CFR 1.85(a). ected to. See 37 CF	• •
	animics. Note the attached Office	Action of form P i	0-152.
Priority under 35 U.S.C. § 119  12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prioric application from the International Bureau  * See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	on Noed in this National	Stage
Attachment(s)  Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date 11/10/03.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te	)-152)

Application/Control Number: 10/652,844 Page 2

Art Unit: 1734

## **DETAILED ACTION**

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-18, drawn to an apparatus, classified in class 118, subclass 309.
- II. Claims 19-22, drawn to method, classified in class 427, subclass 1.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions II and I are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the apparatus can be used without actually immersing the coated substrate into the fluidized bed, but rather with a coating gun attached to the fluidized bed as in Gimben (US 5,454,256).
- 3. Because these inventions are independent or distinct for the reasons given above and have acquired a separate status in the art in view of their different classification, restriction for examination purposes as indicated is proper.
- 4. Because these inventions are independent or distinct for the reasons given above and the inventions require a different field of search (see MPEP § 808.02), restriction for examination purposes as indicated is proper.
- 5. During a telephone conversation with Frank Tise on 10/25/2005 a provisional election was made with traverse to prosecute the invention of group I, claim 1-18.

Affirmation of this election must be made by applicant in replying to this Office action.

Claims 19-22 withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

## Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claims 1 and 2 are rejected under 35 U.S.C. 102(b) as being anticipated by Gillette (US 5,242,718).

Gillette discloses an apparatus (see Figures) for coating an article by immersion of the article in a fluidized powder, the apparatus comprising: a container (Figure 1) defining an interior (item 28) and a plate (item 24) separating the interior into a coating chamber and a plenum (item 18, column 3, line 65), the plate perforated by a plurality of pores (i.e., porous) to provide for passage of a gas from the plenum to the coating chamber (see column 4 to column 6); a gas supply system (items 146 - see column 5) connected to the plenum of the container for delivery of a gas (capable of being compressed air) to the plenum in a sufficient quantity to suspend a powdered material in the coating chamber in a fluidized volume (see column 5, lines 46-60); the gas supply system having a controllable supply portion including a valve (column 5, lines 42-45). A valve inherently has opened and closed conditions, and therefore is capable of

providing for intermittent delivery of gas to the plenum and a corresponding variation in the fluidized powder volume; and a controller (item column 4, lines 42-45) connected to the valve for controlling actuation of the valve between its opened and closed conditions.

As to claim 2, Gillette discloses an air supply source (item 146) which is capable of supplying compressed air.

8. Claims 1, 2, 6, 8-11 are rejected under 35 U.S.C. 102(b) as being anticipated by Luy (US 5,766,557).

Luy discloses an apparatus (see Figures) for coating an article by immersion of the article in a fluidized powder, the apparatus comprising: a container (item 3) defining an interior (item 28) and a plate (item 21) separating the interior into a coating chamber and a plenum (item 28b, called a "fluidizing and processing space", see column 4, lines 51-60), the plate perforated by a plurality of pores (i.e., the perforations) to provide for passage of a gas from the plenum to the coating chamber (see column 4, line 61 to column 5, line 4); a gas supply system (items 121, 122, 123, 124, 125, 126, 127, 128 and 131) connected to the plenum of the container for delivery of a gas (compressed air - see column 8, line 56 to column 9, line 9) to the plenum in a sufficient quantity to suspend a powdered material in the coating chamber in a fluidized volume; the gas supply system having a controllable supply portion including a valve (items 125 and 128), the valve having opened and closed conditions to provide for intermittent delivery of gas to the plenum and a corresponding variation in the fluidized powder volume; and

a controller (item 131) connected to the valve for controlling actuation of the valve between its opened and closed conditions.

As to claim 2, Luy discloses that the gas provided is compressed air (see column 8, lines 61-64).

As to claim 6, Luy discloses that the gas supply system includes a pressure regulator (pressure sensor 126 and associated elements - see columns 8-9) for controlling the pressure of the compressed air delivered to the plenum.

As to claim 8, Luy discloses an apparatus (see Figures, and citations applied to claim 1 above) for coating an article by immersion of the article in a powdered material suspended in a fluidized condition, the apparatus comprising: a container (item 3) defining an interior (item 28) and including a divider (perforated plate 21) extending across the interior to separate the interior into an upper coating chamber and a lower plenum, the divider perforated by a plurality of pores (perforations) for passage of a gas from the plenum (item 28b) to the coating chamber; a gas supply system (items 121-128 and 131) including first and second portions each connected to the plenum, the first portion capable of a substantially continuous delivery of a gas in a sufficient quantity for suspension of a powdered material in the coating chamber in a fluidized volume, the second portion (such as the additional inlets) of the gas supply system providing a controllable supply of gas capable of delivery of discontinuous pulses, the pulses capable of supplementing the fluidizing gas delivered by the first portion.

As to claim 9, Luy discloses that the gas provided is compressed air (see column 8, lines 61-64).

As to claim 10, the control system of Luy is capable of cyclically controlling the compressed air pulses delivered to the plenum.

As to claim 11, Luy discloses that the gas supply system includes a pressure regulator (pressure sensor 126 and associated elements - see columns 8-9) for controlling the pressure of the compressed air delivered to the plenum.

## Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 11. Claims 2, 3, 6 and 8-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gillette as applied to claims 1 and 2 above, and further in view of Blakeslee (US Patent 3,918,401).

As to claim 2, Gillette discloses an air supply source, but is silent as to whether the air is compressed. Blakeslee discloses an air supply source for fluidizing powder, and discloses that the air is pressurized (see column 3-5). Blakeslee further discloses that it is beneficial to use two streams of compressed air, in order to achieve a wide range of coatings (column 3, lines 47-58) and optimum results. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included the compressed air in order to achieve optimum results of various thicknesses.

As to claim 3, Gillette does not disclose timers or solenoid valves. However, Blakeslee discloses that the air is distributed through a plurality of solenoids (see column 3, as cited above) and that the feed of the air is controlled by a timer (see Figure). One in the art would appreciate that such timers and solenoid valves ensure efficient fluidization of the powder as in Blakeslee. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included the timers and solenoid valves in order to achieve optimum results of various thicknesses.

As to claim 6, Blakeslee discloses utilizing a pair of pressure regulators (items 15 and 17) for controlling the compressed air.

As to claim 8, Gillette discloses an apparatus (see Figures) for coating an article by immersion of the article in a fluidized powder, the apparatus comprising: a container (Figure 1) defining an interior (item 28) and a divider (item 24) separating the interior into a coating chamber and a plenum (item 18, column 3, line 65), the divider perforated by a plurality of pores (i.e., porous) to provide for passage of a gas from the plenum to

the coating chamber (see column 4 to column 6); a gas supply system (items 146 - see column 5) connected to the plenum of the container for delivery of a gas (capable of being compressed air) to the plenum in a sufficient quantity to suspend a powdered material in the coating chamber in a fluidized volume (see column 5, lines 46-60).

Gillette does not disclose that the gas supply system includes second portions, or that the second portion provides a controllable supply of gas capable of delivery of discontinuous pulses, the pulses supplementing the fluidizing gas delivered by the first portion.

Blakeslee discloses a similar gas supply system includes first and second portions, and that the second portion provides a controllable supply of gas capable of delivery of discontinuous pulses, the pulses supplementing the fluidizing gas delivered by the first portion (via items 15, 17, 19 and 21). Blakeslee further discloses that it is beneficial to use two streams of compressed air, in order to achieve a wide range of coatings (column 3, lines 47-58) and optimum results. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included the compressed air in order to achieve optimum results of various thicknesses.

As to claim 9, Gillette discloses an air supply source (item 146) which is capable of supplying compressed air. Furthermore, while Gillette discloses an air supply source, but is silent as to whether the air is compressed. In any event, Blakeslee discloses an air supply source for fluidizing powder, and discloses that the air is pressurized (see column 3-5). Blakeslee further discloses that it is beneficial to use two streams of

compressed air, in order to achieve a wide range of coatings (column 3, lines 47-58) and optimum results. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included the compressed air in order to achieve optimum results of various thicknesses.

As to claim 10, Gillette discloses control devices for controlling the air supply (see column 5, lines 36-60). Additionally, Blakeslee as incorporated discloses a timer (see Figure) which cyclically controls the valves (items 19, 21, and see columns 3-6).

As to claim 11, Blakeslee as incorporated discloses utilizing a pair of pressure regulators (items 15 and 17) for controlling the compressed air, including controlling the pressure of the air pulses.

As to claim 12, Blakeslee discloses solenoid valve in the second portion of the gas supply system (items 19, 21).

As to claim 13, Blakeslee as incorporated discloses a timer (see Figure) which cyclically controls the solenoid valves (items 19, 21, and see columns 3-6) to variable actuation.

As to claim 14, Blakeslee as incorporated discloses discloses controlling the duration and frequency of the compressed air pulses to provide multiple modes of operation. Blakeslee further discloses that it is beneficial to use variations in the compressed air, in order to achieve a wide range of coatings (column 3, lines 47-58) and optimum results. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included the multiple modes in order to

achieve optimum results of various thicknesses. Such multiple modes would also promote variation in the fluidized volume and powder mixing.

12. Claims 4, 5 17 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gillette and Blakeslee as applied to claims 2 and 3 above, and further in view of Ganiaris (US patent 3,888,423).

As to claims 4 and 17, Blakeslee as incorporated into Gillette includes two streams of compressed air, one for fluidizing and the other for pulsing. However, Blakeslee is silent as to using a blower for the fluidizing source.

Ganiaris discloses it is known to use a blower (item 11) in conjuction with a fluidizing bed apparatus. One in the art would appreciate that the blower is functionally equivalent to the fluidizing air set to a constant pressure (and further, Blakeslee discloses that it is most convenient to have the fluidizing air set to constant - see column 3, lines 50-55). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have replaced the compressed air source for the fluidizing air with a blower in order to achieve constant air flow.

As to claim 5 and 18, official notice is taken that check valves are well known and conventional in fluid flow operations. One in the art would appreciate that check valves prevent backflow of the fluidized powder and increase operational safety. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized such check valves in order to ensure operational safety.

13. Claims 7, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gillette and Blakeslee as applied to claim 6 and 12 above, and further in view of Gimben (US Patent 5,454,256).

As to claim 7, 15 and 16, Gillette and Blakeslee do not disclose the use of limit switches.

Gimben discloses using limit switches to monitor various components of a fluidizing powder coating system also utilizing timers and solenoids as in Gillette and Blakeslee. Gimben discloses that these switches monitor the condition of various functions. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized such switches in order to control the various functions.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George R. Koch III whose telephone number is (571) 272-1230 (TDD only). If the applicant cannot make a direct TDD-to-TDD call, the applicant can communicate by calling the Federal Relay Service at 1-866-377-8642 and giving the operator the above TDD number. The examiner can normally be reached on M-F 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Fiorilla can be reached on (571) 272-1187. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> George R. Koch III Primary Examiner

Art Unit 1734

GRK 2/13/2006